

Volume of Coarse Woody Debris on forestland (thousand cuft) by size class and property: 2012 WisCFI data

Size class	NHAL	Black River SF	Brule River SF	Coulee Exper Forest	Flambeau River SF	Governor Knowles SF	Kettle Moraine SF – NU	Kettle Moraine SF – SU	Peshtigo River SF	Point Beach SF	All State Forests
3.0-7.9 in.	53,238	8,243	10,604	456	21,881	5,126	4,441	3,841	2,534	594	110,958
8.0-12.9 in.	30,842	8,322	6,849	517	23,861	2,963	1,767	3,365	3,318	1,945	83,750
13.0-17.9 in.	10,132	3,391	663	-	9,667	-	781	776	-	594	26,004
18.0-22.9 in.	1,247	-	-	-	5,520	-	-	-	1,294	-	8,061
23.0+ in.	180,189	-	-	-	-	-	-	-	-	-	180,189
All classes	275,648	19,956	18,116	973	60,929	8,090	6,990	7,981	7,146	3,134	408,962

Sampling Error percent

Size class	NHAL	Black River SF	Brule River SF	Coulee Exper Forest	Flambeau River SF	Governor Knowles SF	Kettle Moraine SF – NU	Kettle Moraine SF – SU	Peshtigo River SF	Point Beach SF	All State Forests
3.0-7.9 in.	6.4	14.7	15.4	62.7	9.8	24.3	26.6	26.6	29.6	53.1	4.5
8.0-12.9 in.	12.3	24.4	27.5	100.0	14.9	33.7	46.7	45.2	37.2	50.1	7.7
13.0-17.9 in.	28.1	61.8	100.0	-	28.7	-	100.0	100.0	-	100.0	18.1
18.0-22.9 in.	100.0	-	-	-	50.4	-	-	-	100.0	-	41.1
23.0+ in.	71.6	-	-	-	-	-	-	-	-	-	71.6
All classes	46.8	17.4	15.0	66.6	10.6	22.4	26.6	30.5	30.8	50.9	31.6